


FIG.3






FIG.5




FIG. 6










FIG. 7

















ベースバンド	ベースバンド					
変調前	変調後					
. 0	00, 11					
1	01, 10					

FIG. 13

ベースバンド変調前	1 0 0 0 0 1
ベースバンド変調後	00101010111

FIG. 14




FIG. 16




FIG. 17

i nã	
1 22	
ij	
٠,D	
ij	
33	
i di	
ïŲ	
"L	
ij	
1.3	
i	

		_			_						,	
アドレス	根		) (C	0	С	(	) (	2	0	. (		C
再生エラー	判定	C	0 (	)	0	C	) (	)	0	C		)
再生劣化	判定	C	) (	)	0	С	) (	) (	)	С	>	( (
劣化限多	丹生パワー(mW)	0.37	98 0	) (	0.38	0.38	0.39			0.41	0.34	
<b>変調哲</b> 編		0.596	0.605	70.0	0.363	0.527	0.526	7465	5	0.444	0.685	0380
反射率	(e)	14.8	12.0	18.0	5 6	13.7	19.5	22.7		70.07	11.0	28.2
第2保護魔124 韓暦(5m)	(IIII) #W	36	36	43		Ç	43	50		200	36	20
配数層 123 瞬間(nm)		0	16	.18	<u> 4</u>	- ·	4	16	41		4	18
	115		0.0	13.0	71.5		0.0	13.0	11.5	12.0	13.0	10.0
	100	00.	3 ;	82	85	ď	9 6	2	20	100	3 6	2
	実施のの	日本の日	- 62 K	末記をな	実施例9	事務値で			吴施例 [2]	1/ 医分裂 1/	17 15 15 15 15 15 15 15 15 15 15 15 15 15	10 EX (1) X

FIG. 18




FIG. 19






FIG. 20